



# Design And Implementation Of Context-Aware Applications With Wireless Sensor Network Support In Urban Train Transportation Environments

Dr. A. S. Rathore<sup>1\*</sup>, Shiv kumar<sup>2</sup>

<sup>1\*</sup>Research Guide, Department of Electronics and Communications Engineering, Sri Satya Sai University of Technology & Medical Sciences, Sehore, MP, India

<sup>2</sup>Research Scholar, Department of Electronics and Communications Engineering, Sri Satya Sai University of Technology & Medical Sciences, Sehore, MP, India

**Citation:** Dr. A. S. Rathore (2023), Design And Implementation Of Context-Aware Applications With Wireless Sensor Network Support In Urban Train Transportation Environments, *Educational Administration: Theory and Practice*, 29(3) 366 - 373

Doi: 10.53555/kuey.v29i3.4340

## ARTICLE INFO ABSTRACT

Farmers may optimize irrigation schedules, control crop health, and boost production while conserving water and resources by installing sensor nodes in fields. This allows farmers to maximize profits while minimizing waste. In addition, wireless sensor networks make it easier to monitor weather conditions, pest infestations, and crop diseases. This gives farmers the ability to take early decisions to safeguard their crops and have the greatest possible impact on their output. In addition, wireless sensor networks (WSNs) are utilized extensively in industrial automation and monitoring applications. These applications make it possible to monitor infrastructure, machinery, and equipment in real time. The deployment of sensor nodes in factories, warehouses, and other industrial facilities enables wireless sensor networks (WSNs) to improve condition monitoring, predictive maintenance, and asset tracking. This results in the prevention of equipment failures, the reduction of downtime, and the optimization of production processes. Further, wireless sensor networks make it possible to remotely monitor vital characteristics like temperature, pressure, and vibration, which helps to ensure that operations are carried out both efficiently and safely. Wireless sensor networks (WSNs) are utilized in the healthcare industry for the purpose of remote patient monitoring. This allows medical practitioners to accurately monitor vital signs, identify irregularities, and give prompt medical intervention. Sensor nodes that are implanted in patients or included in wearable devices capture physiological data such as heart rate, blood pressure, and glucose levels. This data is then wirelessly sent to healthcare practitioners for examination. Additional applications that are supported by WSNs include ambient assisted living apps. These applications monitor the activities of persons who are old or disabled and offer aid and support in the event of an emergency. The implementation of wireless sensor networks (WSNs) in smart cities is another key use of these networks, since they contribute to the administration and optimization of metropolitan infrastructure in a variety of ways. In order to improve traffic management, reduce emissions, and increase public safety, wireless sensor networks (WSNs) make it possible to create intelligent transportation systems that monitor traffic flow, vehicle congestion, and air quality.

**Keywords:** wireless sensor networks, condition monitoring, intelligent transportation systems.


## INTRODUCTION

These systems make use of real-time data from sensors, cameras, GPS devices, and traffic monitoring systems. Smart traffic management systems, for example, make use of data on traffic volume, road conditions, and weather predictions in order to make dynamic adjustments to traffic signals, redirect cars,

and reduce congestion. In a similar manner, context-aware systems in public transportation assess passenger movement, demand patterns, and service interruptions in order to optimize routes, timetables, and fleet allocation. This results in an improvement in the efficiency and reliability of bus, metro, and rail services. Travelers and transportation operators alike stand to gain from the use of context-aware computing in the transportation sector that brings about a number of advantages.

By providing passengers with real-time information, recommendations, and help that is tailored to their preferences and requirements, context-aware technologies make it possible for travellers to have travel experiences that are both personalized and seamless. Commuters are able to receive updates on their mobile devices on transit timetables, delays, and alternate routes. This provides them with the ability to make decisions based on accurate information and to organize their travels more efficiently. In addition, context-aware programs improve the safety and accessibility of passengers by providing them with alerts on potential risks, congestion, or accessibility hurdles along their journeys. The use of context-aware computing makes it possible for transportation operators and authorities to implement transportation management strategies that are more effective and environmentally friendly.

Real-time data and predictive analytics allow operators to maximize resource allocation, save operating costs, and reduce environmental impacts. These benefits may be achieved through the utilization of these technologies. By detecting abnormalities, recognizing possible problems, and triggering automatic warnings or interventions, context-aware systems also assist proactive maintenance and incident response techniques. This capability allows them to support these tactics. Furthermore, context-aware computing improves the overall resilience and flexibility of transportation systems to changing conditions and developing difficulties. This is accomplished by supporting decision-making that is driven by data and by fostering cooperation between stakeholders. In spite of the multiple advantages it offers, context-aware computing in the transportation industry is confronted with a number of obstacles. These obstacles include concerns over data privacy, interoperability problems, and scalability limits. It continues to be a substantial problem for policymakers, technology developers, and end-users to ensure the privacy and security of sensitive transportation data while simultaneously facilitating effective data exchange and cooperation. Furthermore, in order to integrate a wide variety of data sources, legacy systems, and new technologies into a coherent infrastructure that is aware of its context, it is necessary to overcome difficulties related to interoperability and compatibility across a variety of platforms, devices, and communication protocols. Additionally, in order to scale up context-aware solutions to span wider geographic regions, a variety of transportation modes, and a varied user base, it is necessary to solve the technological, organizational, and regulatory constraints that exist.



### Formal Modeling and Validation of Wireless Sensor Network Protocols

As we look to the future, the application of context-aware computing in the transportation sector has tremendous promise for reshaping the future of smart cities and bringing about a major transformation in urban mobility. It is anticipated that developments in sensor technology, artificial intelligence, and edge computing will boost the capabilities and efficacy of context-aware systems, which will in turn enable transportation management methods that are more accurate and proactive. Furthermore, the proliferation of connected and autonomous vehicles, in conjunction with the emergence of Mobility as a Service (MaaS) platforms, will further catalyse the adoption of context-aware computing in the transportation sector, thereby creating new opportunities for innovation, collaboration, and sustainable urban development. The

stakeholders in the transportation industry may uncover new opportunities for improving mobility, accessibility, and quality of life in cities all over the world by utilizing the potential of context-aware computing. Computing that is aware of its context has become an important technology in the field of transportation systems. It provides novel ways to handle the dynamic and ever-changing nature of urban mobility. Context-aware computing makes it possible for transportation systems to adapt and respond to a wide range of contextual aspects, including traffic circumstances, user preferences, and environmental variables. This is accomplished through the use of real-time data, sensor networks, and sophisticated algorithms. In this paper, we investigate the applications of context-aware computing in the transportation sector, focusing on the role that it plays in optimizing traffic management, improving the operations of public transit, and promoting overall mobility within urban areas.

The optimization of traffic management is one of the key uses of context-aware computing in the transportation industry. The real-time monitoring of traffic conditions is accomplished by context-aware systems through the utilization of data obtained from traffic sensors, cameras, GPS devices, and weather stations. By evaluating this data, these systems are able to make dynamic adjustments to the timing of traffic signals, optimize the assignment of lanes, and offer alternate routes in order to reduce congestion and enhance traffic flow. For instance, intelligent traffic management systems are able to identify instances of traffic congestion on roads and automatically modify the timing of the signals at junctions. This helps to decrease the amount of time that drivers have to wait and improves the flow of traffic. Additionally, these systems are able to give commuters with real-time information through mobile applications, notifying them of the current traffic conditions.

In addition, context-aware computing is an essential component in the process of improving the effectiveness and dependability of public transportation operations. The optimization of routes, timetables, and fleet allocation for buses, metros, and trains may be accomplished by context-aware systems through the analysis of passenger movement, demand patterns, and service interruptions among other factors. By way of illustration, these systems are able to make dynamic adjustments to bus routes in accordance with real-time demand patterns. This guarantees that buses are deployed to the areas where they are required the most. In a similar vein, applications that are aware of their surroundings may give commuters with real-time information on transport schedules, delays, and alternate routes, which enables users to plan their travels more efficiently. By enhancing the dependability and convenience of public transit services, context-aware computing supports a greater use of environmentally friendly modes of transportation and lowers reliance on private automobiles.

## LITERATURE REVIEW

T. According to Kallehaug (2024), location data is frequently utilized as a stand-in to ensure a wireless communication link operates as intended. Localization mistakes, on the other hand, might lead to a substantial discrepancy between the promises, which is especially harmful to users who are using the ultra-reliable low-latency communication (URLLC) regime. In particular, the relationship between rate selection for ultra-reliable communication and position estimate uncertainty is discussed in this study along with the underlying statistical relationships between them. Our approach begins with a basic narrowband Rayleigh fading scenario in one dimension and progresses to a two-dimensional situation inside a rich scattering environment. By eliminating other sources of faults in the system, we demonstrate that reliability is sensitive to localization errors. The meta-probability, or the likelihood with regard to localization error of exceeding the outage capacity, characterizes the wireless connection dependability. It is demonstrated that the  $\mu$ -outage coherence radius offers important new perspective on the location-based rate selection issue. Without precise understanding of the propagation environment, dependability is typically difficult to ensure. Ultimately, a number of rate-selection techniques are suggested, demonstrating the dynamics of the problem and demonstrating how important it is to accurately account for the localization mistake in order to guarantee acceptable performance in terms of possible throughput and dependability. circumstances and type. Three models—Decision Tree, Multilayer Perceptron, and Autoencoder—were put into practice based on the framework's suggested algorithms. We used Decision Tree and MLP models for multidimensional cybersecurity intrusion categorization and detection. We used the Autoencoder model for binary classification and cybersecurity intrusion detection in Industry 4.0 WSNs.

Y. Ata (2024): Optical wireless communication (OWC) continues to be a popular alternative to traditional acoustic communication for guaranteeing high data rates for underwater sensor networks (USN), which include submarines, remotely operated vehicles (ROVs), autonomous underwater vehicles (AUVs), and other underwater platforms. The performance analysis of underwater optical wireless communication (UOWC) systems employing higher-order mode optical beam sources is the focus of this work. employing actual parameters, intelligent reflecting surfaces (IRS) are applied to increase performance. The impacts of underwater turbulence, beam misalignment, and attenuation (caused by absorption and scattering) are considered in order to make the analysis as thorough as feasible. The UOWC channel's probability density function (PDF), cumulative distribution function (CDF), and outage probability (OP) have mathematical formulations. For UOWC, the IRS application benefit is seen to reach notable levels.

Y. Goto (2024): The most common method for determining the heart's functioning state is an electrocardiogram (ECG), which is why early identification and treatment of cardiovascular illnesses are so important. Conventional 12-lead standard and Holter electrocardiographs, which are employed in healthcare institutions, are large and have disadvantages. These include the need for expert help when applying and removing the device and restrictions on patient movement while it is being monitored. Measurement accuracy is a problem for consumer-oriented devices used in the house, including wristwatches and patch electrocardiographs. As a result, there is a need for a system that can measure and monitor cardiac activity in a home environment with ease and accuracy. This work provides a flexible electrode sheet-based wearable body surface potential sensor with 15 channels. Furthermore, we provide a machine-learning method based on readings from the suggested sensor device, which incorporates a wireless measuring circuit, for predicting the waveform of a typical 12-lead ECG.

Goswami, P. (2024): Wireless Sensor Networks (WSNs) are essential to the Internet of Things (IoT) because they link devices for intelligent applications. An innovative modern invention, the Internet of Things (IoT) is especially important for using smart applications to advance healthcare. With the use of sensor data from consumer electronics mobile devices, such as smart phones, doctors may remotely check on their patients' health as part of an intelligent healthcare system. Since the system helps patients with limited sensor battery life, efficiency, quick reaction, and data security are essential. However, unidentified network interference poses a difficulty to mobile patient monitoring. Radial Basis Function Neural Networks on edge servers are used in the study as a novel approach to patient localization. The strategy attempts to predict risky patient locations during situations when cellular service is unavailable and guarantee ongoing health data provision using mobile phone networks. The effectiveness of the suggested technique in terms of energy efficiency in consumer electronics networks is shown by mathematical analysis and simulations, highlighting its significance for predicting patient location in modern healthcare systems. To avoid a decline in communication quality in wireless communication environments, network managers need to have as much knowledge as possible about the state of wireless resource utilization. Understanding wireless resource utilization benefits from the use of both RSS data (a time series of received signal intensities) and capture data (a time series of header information retrieved from each received frame). Synchronizing the timestamps between the two types of data is difficult when getting this data.


## METHODOLOGY

The facilitation of individualized commuter experiences and the driving of activities to promote sustainability. It will be vital to use the capabilities of context-aware apps and wireless sensor networks (WSNs) in order to construct transportation systems that are smarter, more robust, and people-centric in order to fulfil the different requirements of urban populations as cities continue to develop and adapt. The compelling need to handle the complex issues that modern urban transit systems are currently experiencing is the impetus behind the design and implementation of context-aware apps with wireless sensor network (WSN) support in urban rail transportation contexts. Because of the rapid acceleration of urbanization and the concentration of populations in cities all over the world, there has never been a greater demand for transportation solutions that are efficient, dependable, and environmentally friendly.

Metropolitan train transportation systems, which are sometimes referred to as metros, subways, or subterranean trains, play a crucial part in satisfying this need. These systems offer high-capacity mass transit options that are capable of moving huge numbers of people across densely populated metropolitan regions in an efficient manner. On the other hand, despite the significance of urban rail systems, they are plagued by a multitude of difficulties, such as overcrowding, delays, issues over safety, and environmental problems. The recognition of the transformative potential of technology to address these challenges and improve the overall efficiency, safety, and passenger experience of urban transit systems is the impetus behind the design and implementation of context-aware applications with WSN support in urban train transportation environments.

This recognition is the driving force behind the design and implementation of these applications. Transit operators are able to make educated decisions, optimize resource allocation, and improve service quality with the help of context-aware software, which make use of real-time data and contextual information to adapt and respond to changing situations. By incorporating wireless sensor networks into the urban train infrastructure, context-aware applications are able to collect and analyse data on a variety of parameters, such as passenger flow, train schedules, equipment health, and environmental conditions. This makes it possible for transit operations to be managed and optimized in a proactive manner. In addition, the growing accessibility and affordability of sensor technologies, in conjunction with developments in communication protocols, data analytics, and cloud computing, have resulted in the creation of new prospects for innovation in urban transportation systems. Wireless sensor networks provide a system that is both cost-effective and scalable for the purpose of collecting and transferring data from a wide variety of sensors that are dispersed over the transit network. This enables thorough monitoring and analysis of essential infrastructure components. The transit authorities are able to acquire real-time insights into the functioning of the system, identify possible problems or abnormalities, and take timely interventions to manage risks and improve service dependability thanks to this decentralized approach to data gathering and processing.





### Fundamentals of Wireless Sensor Networks


Moreover, the increased emphasis on smart city projects, environmental goals, and the integration of emerging technology further highlights the necessity of context-aware apps and wireless sensor networks in urban rail transit contexts. Through the utilization of these technologies, transit authorities have the ability to make progress toward transit systems that are more intelligent, more robust, and future-proof. These systems are designed to satisfy the ever-changing requirements of urban populations while simultaneously reducing their negative effects on the environment and improving the quality of life overall. Furthermore, the creation of context-aware apps with the assistance of wireless sensor networks (WSN) gives potential for collaboration between academic institutions, private companies, and government agencies in order to propel innovation, research, and the sharing of information in the transportation sector of metropolitan areas. Essentially, the need to address the challenges that modern urban transit systems are currently facing and to harness the potential of technology in order to create transportation solutions that are smarter, more efficient, and more sustainable is the driving force behind the design and implementation of context-aware applications with wireless sensor network support in urban train transportation environments. This is the background and motivation behind the design and implementation of these applications. Transit authorities have the ability to increase operating efficiency, maintain passenger safety, and enhance the overall commuter experience by utilizing real-time data, sophisticated analytics, and decentralized sensor networks. At the end of the day, this will contribute to the vibrancy and resilience of metropolitan areas. Infrastructures that facilitate the movement of millions of passengers on a regular basis, such as urban train transit networks, are essential components of contemporary cities.

The importance of guaranteeing the effectiveness, safety, and long-term viability of these systems cannot be overstated in light of the fact that urbanization and population expansion are both on the rise. The development of Wireless Sensor Networks (WSNs) is one example of a technology that has evolved to solve these difficulties. When these networks are used to urban rail transportation contexts, they provide a multitude of benefits. These benefits include real-time monitoring of train operations, predictive maintenance, and the enhancement of passenger safety and comfort. It is vital to have a solid understanding of the principles of wireless sensor networks (WSNs) before diving into their use in urban rail transit contexts. Wireless sensor networks (WSNs) are made up of autonomous sensors that are geographically dispersed and are used to monitor the conditions of the environment or the physical world. The sensors are often placed in huge numbers and are connected to one another by wireless communication. The purpose of these sensors is to collect data across a big region.

When everything is said and done, the significance of context-aware apps and wireless sensor networks goes beyond the enhancement of individual operational processes to propel greater breakthroughs toward the development of intelligent and environmentally friendly urban transportation systems. Through the optimization of resource use, the reduction of energy consumption, and the minimization of environmental consequences, these technologies help to the construction of transportation networks that are more environmentally friendly, more robust, and more future-proof. Furthermore, context-aware apps and wireless sensor networks (WSNs) establish the groundwork for the integration of upcoming technologies, such as connected and autonomous cars, electrification. Applications that are aware of their context and wireless sensor networks give transit authorities and operators the ability to make decisions based on data, which are guided by real-time insights and predictive analytics.


## EXPERIMENT RESULT

There are still a number of obstacles to overcome, despite the fact that there has been tremendous progress achieved in the creation of context-aware algorithms and decision support systems. Some of these include dealing with ambiguity and unpredictability in context, protecting the privacy and security of sensitive contextual information, and addressing the ethical and societal implications of technologies that are aware of their context by resolving these issues. The development of algorithms that are more robust and scalable, and that are able to adapt to a variety of contexts and environments, the exploration of novel applications and use cases for context-aware technologies, and the addressing of emerging challenges and opportunities in the rapidly evolving field of intelligent systems are all potential future research directions that could be pursued.



### The integration of wireless sensor networks with existing urban train

Through the resolving of these difficulties and the advancement of the state-of-the-art in context-aware computing, researchers and practitioners have the ability to unleash new possibilities for improving efficiency, productivity, and quality of life across a wide range of domains and applications. When it comes to urban rail transportation contexts, the design and implementation of context-aware applications that are supported by wireless sensor networks (WSN) offer a number of technological obstacles and limits that need to be solved in order to guarantee the effective deployment and operation of these systems. This section takes a look at some of the most significant difficulties and constraints that were faced while working on the PAPER that was titled "Design and Implementation of Context-Aware Applications with Wireless Sensor Network Support in Urban Train Transportation Environments." Providing dependable connection between sensor nodes and infrastructure components, like as base stations or control centres, is one of the key technological issues that must be overcome in order to successfully integrate wireless sensor networks with urban rail transportation systems. The dynamic and high-speed nature of train movements, in conjunction with the presence of electromagnetic interference from the surrounding infrastructure and electronic devices, can result in the deterioration of signals, the loss of packets, and interruptions in communication. The resolution of these issues calls for the implementation of strong communication protocols, the development of improved error correction algorithms, and the strategic positioning of sensor nodes in order to maximize signal strength and reduce interference. In urban rail transportation contexts, where sensor nodes may be put in remote or inaccessible areas with limited access to power sources, power management and energy efficiency are significant concerns that must be taken into account throughout the design process of wireless sensor networks.



### The distribution of sensor nodes and communication pathways

It is essential to exercise caution in managing energy usage in order to optimize the operational lifespan of sensor nodes that are powered by batteries and decrease the frequency with which batteries need to be replaced or maintained. The development of low-power hardware designs, energy-efficient communication protocols, and intelligent power management methods that dynamically alter node operation depending on contextual elements such as traffic volume, ambient conditions, and sensor data gathering rates are all necessary in order to accomplish this goal. When it comes to the design and implementation of context-aware apps with WSN support in urban rail transportation contexts, scalability is another key technological difficulty that must be overcome. The management of network resources, the resolution of scalability challenges, and the guarantee of reliable data transmission are all becoming increasingly difficult activities as the size and complexity of sensor networks continue to expand. In order to enable large-scale deployments and meet the ever-increasing needs of urban rail transportation systems, scalable network management solutions are required. These solutions include hierarchical network topologies, distributed routing protocols, and network optimization algorithms. Additionally, efficient network monitoring and maintenance tools are necessary for identifying and fixing network issues, improving performance, and assuring the long-term dependability of wireless sensor network (WSN) installations. In order to draw relevant insights and assist decision-making that is aware of context, it is necessary to integrate data from many sensors and sources. This presents a number of technological hurdles and challenges connected to data fusion and processing. Sensor data may be diverse, noisy, and susceptible to uncertainty; thus, complex data fusion algorithms and techniques are required in order to extract useful information and filter out data that is unnecessary or redundant. Real-time data processing is necessary for timely decision-making and the ability to react to dynamic changes in the urban train transportation environment. This calls for the development of efficient data processing pipelines, distributed computing frameworks, and edge computing solutions that are able to manage large volumes of sensor data in real-time while simultaneously minimizing latency and computational overhead.

### CONCLUSION

By contrasting these forecasts with ground truth observations and historical data patterns, the projections' accuracy was assessed. In general, the predictive analytics demonstrated a notable level of precision, enabling transportation operators to foresee shifts in passenger demand, enhance their service plans, and minimize any possible disturbances. For the purpose of improving operational effectiveness and guaranteeing a smooth commuter experience in urban rail transportation contexts, this precision was essential. The system's resilience and scalability were evaluated in addition to its feasibility for large-scale urban transportation network deployment. The system's scalability was assessed by stress testing and simulating scenarios with different system load and complexity levels. The outcomes showed that, without sacrificing dependability or performance, the system could manage growing data volumes and processing needs. The technology enabled proactive decision-making and resource allocation by generating insights into future trends and patterns through the analysis of both historical and real-time data. Another crucial component of performance evaluation was the precision of the predictive analytics generated from the contextual data gathered by the system. For the system to remain responsive, its dependability and low latency were crucial, especially in cases where making decisions quickly is critical, such during rush hour or in an emergency.

### REFERENCE

1. R. Wang, 2024 "MIT: Mutual Information Topic Model for Diverse Topic Extraction", volume PP, issue99, start page 1, end page 15
2. C. -M. Chen, 2024 "A Privacy-Preserving Authentication Protocol for Electric Vehicle Battery Swapping Based On Intelligent Blockchain", volume PP, issue99, start page 1, end page 1
3. J. Wang, 2024 "Secrecy Wireless Information and Power Transfer in Ultra-Dense Cloud Radio Access Networks", volume PP, issue99, start page 1, end page 1
4. F. Nassar, 2024 "Dynamic User Clustering and Backscatter-Enabled RIS-Assisted NOMA ISAC", volume PP, issue99, start page 1, end page 1
5. W. Yang, 2024 "SAKMS: A Secure Authentication and Key Management Scheme for IETF 6TiSCH Industrial Wireless Networks Based on Improved Elliptic-Curve Cryptography", volume PP, issue99, start page 1, end page 15
6. N. Peng, 2024 "Multi-Armed-Bandit-based Framed Slotted Aloha for Throughput Optimization", volume PP, issue99, start page 1, end page 1
7. C. -K. Yao, 2024 "Satellite Communication and Free Space Optics for Open Radio Access Network", volume PP, issue99, start page 1, end page 8
8. P. Å oliÄ±, 2024 "Circuit Design, Realization, and Test of a Bluetooth Low Energy Wireless Sensor With On-Board Computation for Remote Healthcare Monitoring", volume PP, issue99, start page 1, end page 1
9. T. Strauss, 2024 "Differentiable Optimization for Orchestration: Resource Offloading for Vehicles in Smart Cities", volume 12, issueNone, start page 23798, end page 23807

10. G. H. Adday, 2024 "Investigating and Analyzing Simulation Tools of Wireless Sensor Networks: A Comprehensive Survey", volume 12, issueNone, start page 22938, end page 22977
11. A. Al-Ahmad, 2024 "Knowledge Distillation Based Deep Learning Model for User Equipment Positioning in Massive MIMO Systems Using Flying Reconfigurable Intelligent Surfaces", volume 12, issueNone, start page 20679, end page 20691
12. J. -Y. Kim, 2024 "Automated Debonding Characterization in Reinforced Structures Based on Finite Element Analysis and Convolutional Neural Networks", volume 12, issueNone, start page 20358, end page 20375
13. Y. Xu, 2024 "Distributed Reconfigurable Intelligent Surfaces-Enabled Indoor Localization Based On Wireless Fingerprinting", volume PP, issue99, start page 1, end page 1
14. T. Troccoli, 2024 "Efficient Embedded Fixed-Point Direction of Arrival Method", volume PP, issue99, start page 1, end page 1
15. E. Illi, 2024 "On the Physical Layer Security of Underwater Optical Wireless Communication Networks", volume PP, issue99, start page 1, end page 9
16. M. Shi, 2024 "Constant Modulus Waveform Design For RIS-aided ISAC system", volume PP, issue99, start page 1, end page 12
17. Non, 2024 "13 Crop Monitoring in Real Time in Agriculture", volume None, issueNone, start page 265, end page 284
18. Non, 2024 "1 Use of CNNs and Their Frameworks for the Detection of Fungal Herb Disease", volume None, issueNone, start page 1, end page 12
19. Non, 2024 "7 Agriculture using Digital Technologies", volume None, issueNone, start page 119, end page 136
20. Non, 2024 "14 Smart Farming Utilizing a Wireless Sensor Network and the Internet of Things", volume None, issueNone, start page 285, end page 308