

## Objectively Structured Practical Examination As Assessment Tool For Medical Students

Dr. Sushma BJ<sup>1\*</sup>, Dr. Rajveer Singh<sup>2</sup>, Mr. Sumit Parashar<sup>3</sup>, Mr. Raghendra Saini<sup>4</sup>, Mr. Heeralal Kumawat<sup>5</sup>

<sup>1\*</sup>Professor and Head, Department of Biochemistry, National Institute of Medical Sciences and Research, Jaipur.

<sup>2</sup>Assistant Professor, Department of Biochemistry, KMC Medical College and Hospital, Mahargahanj. UP

<sup>3</sup>Tutor, Department of Biochemistry, National Institute of Medical Sciences and Research, Jaipur.

<sup>4</sup>Tutor, Department of Biochemistry, National Institute of Medical Sciences and Research, Jaipur.

<sup>5</sup>Tutor, Department of Biochemistry, National Institute of Medical Sciences and Research, Jaipur.

\*Corresponding Author: Dr. Sushma BJ

\*Professor and Head, Dept. of Biochemistry, NIMS & R, Jaipur, Contact Number: 8197247109

Email id: sushmabj1983@gmail.com

**Citation:** Dr. Sushma BJ, et al (2024), Objectively Structured Practical Examination As Assessment Tool For Medical Students *Educational Administration: Theory and Practice*, 30(6), 1615-1621

Doi: 10.53555/kuey.v30i6.5557

### ARTICLE INFO

### ABSTRACT

#### Background:

Recently, in the year 2019, the National Medical Commission (NMC) made it mandatory to implement objectively structured practical examination (OSPE) for pre- and para-clinical subjects. The OSPE is an assessment tool used during practical examinations for undergraduate medical students studying in phase I and phase II.

#### Objectives:

To compare the performance of the students by using OPSE and conventional practical examination methods using the scores obtained and to explore the student's perceptions and faculty perceptions of objectively structured practical examination as an assessment tool to be used during regular practical examinations.

#### Materials and Methods:

The present study included phase I MBBS students in batch 2023-24 of the National Institute of Medical Sciences and Research, Jaipur. A total of 212 phase I MBBS students participated in the study after providing informed consent. Students were assessed using both conventional practical examination and objectively structured practical examination. Conventional practical examination was performed for abnormal urine analysis. In OSPE, we had kept five stations, two of which were observer type and three of which were responsive type time allotted was three minutes at each station. At the observer station psychomotor skills were assessed and in responsive station the cognitive skills were assessed. Each student had to attend 4 stations one observer station and 3 responsive stations. Both assessments were performed using a standardized checklist and the scores were subsequently marked. The scores were recorded out of 20 points. The mean scores obtained by the students were compared using Student's t test and a p value <0.05 was considered to indicate statistical significance. The student's perceptions and faculty perceptions about both conventional practical examinations and OSPE were assessed using a validated questionnaire in the Google Form link sent to the students in the Watts app group.

#### Results:

The frequency of distribution of students as per the scores obtained out of twenty marks revealed that out of 212 students in CPE 67 (31.6%) students had scores less than 50% and 145 (68.39%) students had scores greater than 50%. In OSPE method 29 (13.67%) Students had scored less than 50% and 183 (86.3%) students had scores greater than 50%. The mean scores for CPE were  $10.655 \pm 3.477$  and those for OSPE were  $12.091 \pm 2.55$ , the mean scores obtained by students were significantly greater for OSPE than for CPE ( $p < 0.001$ ). The vast majority of the students enjoyed OSPE because of the lack of teacher bias, nonpartiality,

---

uniformity, decreased time consumption and student-centred and student friendly nature. The majority of the faculty felt that OSPE was not time consuming, eliminated observer bias, and should be implemented on a regular basis during all types of assessments and that they should better assess practical skills; moreover the majority of the faculty agreed that OPSE is a good learning method for students.

**Conclusion:**

The present study showed that, compared with those on the CPE, the majority of the students on the OPSE had a greater than 50%, and there were significant differences in the mean scores obtained on the OSPE compared with those obtained on the conventional practical examination. The OSPE is a better tool for assessing students during practical examinations; it should be used regularly in all types of assessments. and it can also be used for learning purposes. Student and faculty perceptions of OSPE as a better assessment tool and learning tool were highly positive.

**Keywords:** objectively structured practical examination, conventional practical examination, observer station, responsive station, student perceptions and faculty perceptions.

---

## INTRODUCTION

The Objectively Structured Practical Examination (OSPE), is a novel tool introduced by the National Medical Commission used for assessment in competency based Undergraduate Curricula [1]. Competency based education has been defined as an outcome-based approach to the design, implementation, assessment and evaluation of a medical education program using an organizing framework of competencies [2]. Greater emphasis should be placed on setting up an ongoing and longitudinal assessment so that teachers can identify the stage of the learner and decide whether they need further or different learning opportunities to acquire competency. Assessment of competency based curricula plays a crucial role in its implementation [1]. The major characteristics of competency based assessment [CBA] are its longitudinal nature, provision of developmental feedback and use of authentic settings, all of which result can lower the stakes in individual assessments. The utility of assessment is traditionally expressed as a notional concept represented as the use of a product of validity, reliability, acceptability, feasibility and educational impact [3]. For CBA, validity and educational impact are the major determinants of its utility. Despite subjective judgments being involved, the reliability of these assessments can be improved by increasing the number of assessors, assessments, and tasks and by involving all teachers in the department during the CBA process. This approach is a simple intervention for not only taking care of subjectivity but also improving ownership of teaching-learning and assessment [4]. Traditional assessments are easy to design, administer, score and analyze compared to CBA but may not be able to provide complete information about the stage of the student. Traditional assessments are snapshot observations of learning, are generally not linked to instructions or outcomes and promote test taking behavior. They are fragmented and mainly focus on knowledge (sometimes skills). CBA, on the other hand, provides more comprehensive information about not only the current stage of the student but also about his progression and ascendancy [1].

It is a well-known fact that assessment drives learning. A single examination does not fulfill all the functions of assessment, such as assessing knowledge, comprehension, skills, motivation, and feedback.[6] Written examinations (essays and multiple choices) test cognitive knowledge, which is only one aspect of the competency. The structuring of questions and assessments through highlighting on objectivity has been emphasized and gained importance in the practical evaluation. [7] The objective structured practical examination (OSPE) is now an accepted tool for assessing practical skills in both preclinical and paraclinical subjects. However, there are no strict or limiting guidelines on the types of scenarios that are used in the OSPE examinations. In the UK, the USA, Canada, and indeed the most reputable colleges of medicine, the OSPE is the standard mode of assessment of competency, clinical skills, and counseling sessions that satisfactorily complement cognitive knowledge testing in essay writing and objective examination. [8] The present study was designed to assess students' performance using the OSPE method and conventional method. Students perceptions of OSPE were also obtained via the Google Form Questionnaire and were assessed using a 5-point Likert scale as used by the previous authors [5].

**Aim and Objectives:** The objectives of the present study were

- 1) The OSPE and conventional practical examination were used to compare student performance based on the scores obtained.
- 2) To explore the students perceptions and faculty members perceptions of objectively structured practical examination as an assessment tool or regular practical examinations.

## MATERIALS AND METHODS

The present study is an prospective interventional educational research study conducted with undergraduate medical students in the Department of Biochemistry, National Institute of Medical Sciences & Research, Jaipur. The present study included a total of 212 phase I MBBS students in the batch 2023-24 cohort after providing informed consent. Conduction of OSPE pattern induction was announced one month prior to the conducted during second internal assessment. The confidentiality of the stations used for OSPE was maintained until the end of the examination. Adequate instructions regarding conventional practical examination and OSPE were given prior to the internal assessment. A total of 212 students were divided into 4 groups -A, B, C and D-of 53 students for the assessment. In the conventional practical examination, all the students were provided with the abnormal urine samples at the respective seat number allotted to the student using the chit method. The student had to perform all the tests related to abnormal urine analysis and produce a urine report at the end of the analysis and Table viva was used for each student, the score recorded was out of 20 marks. In OSPE, we had kept five stations out of which two were observer type and three were responsive type (unobserved responsive type, responsive type and coupled OSPE) time allotted was three minutes at each station. At the observer station one test related to normal and abnormal urine analysis was kept for performing, and the psychomotor skills were assessed. Similarly at responsive station, the cognitive skills were assessed. Each student has to attend 4 stations, one observer station and 3 responsive stations. Both assessments were performed using a standardized checklist (Tables 1-4), and the scores were subsequently indicated. The scores were recorded out of 20 points. The mean scores obtained by the students were compared using Student's t test and a p value <0.05 was considered to indicate statistical significance. The students perceptions and faculty perceptions about both conventional practical examination and OSPE were assessed using a validated questionnaire in the Google Forms link sent to the students in the Watts app group. The data were downloaded from the Google Forms and tabulated in tables and graphs.

**Table 1: OSPE checklist for observer station Benedicts Test**

Sl. No	Skills with scores
1	Taking 5 mL of Benedicts reagent in a test tube (1 mark)
2	Adding 8 drops of provided urine sample (1 mark)
3	Mixing the reagent and sample (1 mark)
4	Boil over the flame for 2 minutes (1 mark)
5	Cool under tap water and observe for the appearance of colored precipitate (1 mark)

**Table 2: OSPE checklist for observer station Heat Acetic Acid**

Sl. No	Skills with scores
1	Taking two third test tube with given urine sample (1 mark)
2	Carefully heating the upper part of the test tube on flame (2 marks)
3	Acidifying the urine by adding 1-2 drops of glacial acetic acid (1 mark)
4	Cool the test tube (1 mark)

**Table 3: OSPE checklist for unobserved responsive station**

Sl. No	Skills with scores
A person brought to the emergency department in a comatose state. The following test results were obtained. Blood glucose-400 mg/dl, Urine positive for reducing sugars and ketone bodies.	
1	Perform suitable test (2 marks)
2	Write observation and inference (1 mark)
3	Mention the other biochemical changes in this condition (2 marks)

**Table 4: OSPE checklist for responsive station and Coupled OSPE**

### Responsive station

55 years old man was admitted in the emergency ward with complaints of left sided chest pain radiating to left shoulder, tightness in the chest, nausea, vomiting, difficulty in breathing and sweating. ECG reveals- ST segment elevation and T- wave inversion.

1	What is the probable diagnosis (1 mark)
2	Name the enzymes and iso-enzymes helpful in the diagnosis ( 2 marks)
3	Mention other biochemical parameters helpful in the diagnosis ( 2marks)

### Coupled OSPE

1	How to separate iso-enzymes (1 mark)
2	Name the methods to estimate ALT and AST (2 marks)
3	Write the normal ranges of ALT and AST (2 marks)

**Ethical Consideration and Consent**

This study was conducted after obtaining Institutional Ethics Committee approval (Reference No NIMSUR/IEC/2023/770 and Proposal Number IEC/P-427b/2023. Informal written consent was obtained from all the students involved in the study.

**RESULTS**

In the present study, a total of 212 students provided informed verbal and written consent. Student performance was assessed using conventional practical examination and objectively structured practical examination, in both the assessments the maximum score was out of twenty marks. Table 1 represents the frequency distribution of the students based on the scores obtained for both the CPE and OSPE. In CPE 5.66% of the students had scores <5 out of 20, 25.94% had scores 5 to <10 out of 20, 59.9% had scores 10-<15 out of 20 and 8% had scores between 15 to 20 in OSPE . In addition, 1.88% of the students had scores <5 out of 20, 11.79% had scores 5 to <10 out of 20, 70.75% had scores 10-<15 out of 20 and 15.56% had scores between 15 and 20.

**Table 5 Shows the frequency distribution of scores obtained by conventional practical examination and OSPE expressed in number and percentage (no=212) out of maximum marks 20**


	Conventional Practical Examination		Objectively Structured Practical Examination	
	Number	Percentage	Number	Percentage
<5	12	5.66	4	1.88
5-<10	55	25.94	25	11.79
10-<15	127	59.90	150	70.75
15-20	18	8.49	33	15.56
<b>Total</b>	212	100	212	100

Table 2 represents the mean scores obtained by the students in CPE and OSPE. The mean scores in for CPE were 10.655 ± 3.477 and those for OSPE were 12.091 ± 2.55, the mean scores obtained by students were significantly greater for OSPE than for CPE (p<0.001)


**Table 6: Shows the comparison of mean scores obtained by conventional practical examination and OSPE expressed in number and percentage (no=212) out of maximum marks 20**

	Conventional Practical Examination	Objectively Structured Practical Examination	t value
Mean ± SD	10.655 ± 3.477	12.091 ± 2.55	8.4655 x 10 <sup>-7</sup>
P value <0.001, Highly Significant			

**Figure 1: Students' perceptions of the OSPE**



**Figure 2: Students' perceptions of the OSPE**



**Table 7: Faculty perceptions about OSPE (no=9)**

	Yes (Agree)		No (Disagree)	
	Number	Percentage	Number	Percentage
<b>Not time consuming</b>	9	100	0	0
<b>Eliminates observer bias</b>	8	88.88	1	11.11
<b>OSPE should be implemented on regular basis during all type of assessments</b>	9	100	0	0
<b>Better assessment of practical skills</b>	8	88.88	1	11.11
<b>Apart from Assessment OSPE is a good learning method for students</b>	7	77.77	2	22.22

**DISCUSSION**

In the present study a total of 212 students of batch 2023-24 phase I MBBS participated. The frequency of distribution of students as per the scores obtained out of twenty marks revealed that out of 212 students in CPE 67 (31.6%) students had scores less than 50% and 145 (68.39%) students had scores greater than 50%. According to OSPE method 29 (13.67%) students had scores less than 50% and 183 (86.3%) students had scored more than 50% presented in Table 5. A comparison of the scores obtained by students for both examination patterns revealed that OSPE score was significantly greater than the CPE score and the OSPE served as a better tool for assessment because students had better performance as presented in Table 6. Evaluated marks of question stations and check list of procedure stations were made available to the students, who appreciated what they achieved and identified and where they needed to improve [6]. Students perceptions about OSPE was assessed, using 5 point Likert’s Scale using validated questionnaire, 75.9% agree that OSPE is good form of examination and learning process, 67.1% agreed that the checklist provides a fair and unbiased system of marking, 75.9% agreed that OSPE covers learning objectives of important topics, 77.9% agreed that OSPE is more easy and better for scoring compared to CPE, 79.1% agreed that OSPE was useful for retention of knowledge in biochemistry, data is presented in Figure 1. 74.5% agreed that OSPE reduces luck factor in the examination, 76.6% agreed that OSPE should be the method of assessment in all practical examinations for phase I MBBS students, 77.2% agreed that OSPE encourages to pay attention to practical examination, 74.1% agreed that attitude of teachers is good in OSPE as compared to CPE and 77.9% agreed that OSPE is a better pattern than CPE, as presented in Figure 2. The vast majority of the students enjoyed OSPE because of lack of teacher bias, nonpartiality, uniformity, decreased consumption and student-centred and student-friendly. The majority of the faculty felt that OSPE was not time consuming, eliminated observer bias, and should be implemented on regular basis during all types of assessments, better assessment of practical skills, and also majority of the faculty agree that OPSE is a good learning method for students, as represented in Table 7. The majority of the time following the examinations, students often complain that they have

performed well in the practical examinations but they do not obtain their expected scores, irrelevant questions or differences in the level of questions asked to them simple to difficult: some students were asked basic questions and some were asked difficult questions and on the other end the external examiners during university examinations complain about the extensiveness of the examination pattern during university examinations. OSPE definitely minimizes all the factors encountered during CPE. Some students mentioned that OSPE gives them better confidence and defines them with what exactly needs to be studied and prepared for practical examinations as objectives and competency skills are well-defined in the OSPE. These findings were in accordance with the findings of the studies conducted by Ananthkrishnan [9] Watson and Houston [10], Vijaya and Alan [11], KL Bairy et al [12], and Mokkapati et al [13], these authors noted that the OSPE was a well-structured, easy assessment format in which the students were well organized and easy and less stressful that it covered the learning domains and syllabus appropriately than did conventional examination. Faldessai et al [14], Praveen Singh et al [15] reported that 90% of student participants expressed OSPE as a better alternative to conventional examination and it was better structured and uniform. The students were clear that the OSPE assessed the relevant practical skills and it covered the appropriate knowledge consistent with the learning objectives.

### CONCLUSION

The present study showed that the majority of the students performed well scored more than 50% marks in OSPE as compared to CPE and also there was significant differences in the mean scores obtained in OSPE in comparison with conventional practical examination. The OSPE is a better tool for the assessment of students during practical examinations, it should be used regularly in all types of assessments and also it can also be used for learning purposes. Student and faculty perceptions were highly positive towards OSPE as a better assessment tool and learning tool.

### DECLARATION

**Consent for publication:** This study does not contain any individual person data in any form. It is not applicable.

**Competing Interests:** there are no competing interests and no conflicts for publication.

**Availability of data and materials:** Data collected during the research study is available in the excel sheet is shared in the supplementary files.

### REFERENCES

1. Medical Council of India. Assessment Module for Undergraduate Medical Education Training Program, 2019: pp 1-29.
2. Frank JR, Snell L, Ten Cate O et al. Competency-based medical education: Theory to practice. *Medical Teacher* 2010; 32:638-45
3. Van der Vleuten CPM. The assessment of professional competence: developments, research and practical implications. *Adv Health Sci Educ.* 1996; 1: 41-67.
4. Sood R, Singh T. Assessment in medical education: evolving perspectives, contemporary trends. *National Med J India.* 2012; 6: 357-60.
5. Shenoy PJ, Kamath P, Sayeli V, Pai S. Standardization and Validation of objectively structured practical examination in pharmacology: Our experience and lessons learned. *Indian J Pharmacol* 2017;49:270-4
6. Abraham RR, Raghavendra R, Surekha K, Asha K. A trial of the objective structured practical examination in physiology at Melaka Manipal Medical College, India. *Adv Physiol Educ.* 2009;33:21-3.
7. Kundu D, Das HN, Sen G, Osta M, Mandal T, Gautam D. Objective structured practical examination in biochemistry: An experience in Medical College, Kolkata. *J Nat Sci Biol Med.* 2013 Jan;4(1):103-7. doi: 10.4103/0976-9668.107268.
8. Abraham RR, Upadhyya S, Torke S, Ramnarayan K. Student perspectives of assessment by TEMM model in physiology. *Adv Physiol Educ.* 2005;29:94-7.
9. Ananthkrishnan N. Objective structured clinical/practical examination (OSCE/OSPE). *J Postgrad Med.* 1993;39(2):82-4.
10. Watson AR, Houston IB, Close GC. Evaluation of an objective structured clinical examination. *Arch Dis Child.* 1982;57:390-2.
11. Vijaya DS, Alan S. A comparative study to evaluate practical skills in physiology among 1st phase medical under graduates at JNMC Belgaum: Traditional practical examinations versus objective structure practical examinations (TPE V/S OSPE). *Int J Educ Res Technol.* 2014;5:126-34.

12. Bairy KL, Adiga S, Shenoy S, Magazine BC, Amberkar M, Kumari MK. OSPE in pharmacology: Comparison with the conventional method and students. *Perspective towards OSPE. Br Biomed Bull.* 2014;2:218–22.
13. Mokkaapati A, Pavani G, Dass SM, Rao MS. Objective structured practical examination as a formative assessment tool for 2nd MBBS microbiology students. *Int J Res Med Sci.* 2016;4:4535
14. Faldessai N, Dharwadkar A, Mohanty S. Objective-structured practical examination: A tool to gauge perception and performance of students in biochemistry. *AJMS.* 2014;2:32–8.
15. Praveen R Singh, Raksha Bhatt, Suman Singh. Perceptions towards Implementation of OSPE as an assessment tool in anatomy for undergraduates at a rural medical college in Western India. *National Journal of Basic Medical Sciences.* 2010; Vol.II, Issue 1, 54- 60.